

CHEVRON'S ECUADOR RAINFOREST DISASTER

LEGAL VIOLATIONS IN ECUADOR TRIAL OVER TOXIC DUMPING

Judge for yourself whether the following 76 water and soil samples analyzed by the court for Total Petroleum Hydrocarbons (TPH) show legal violations by ChevronTexaco:*

Samples (number is code identifying place and location)	Texaco well site (CT: Chevron Texaco D: plaintiffs)	TPH Level (parts per million (PPM))	<u>NORM # 1</u> TPH by most U.S. status and EPA (PPM)	<u>NORM # 2</u> TPH by Ecuadorian law (PPM)	Percentage Over the Norms	Texaco Legal Violation?
SSF-SUR-C3 (0.50-0.15 m)	SSF-SUR (P)	265.338	100	1.000	TPH exceeds 265.338% norm (1) and 26.533% norm (2)	TEXACO LEGAL VIOLATION
SA 57 D1; 0,15- 0,30	SA- 57 (P)	262.581	100	1.000	TPH exceeds 262.581% norm (1) and 26.257% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA51-NE2- SS1,25	SA- 51 (CT)	68.430	100	1.000	TPH exceeds 68.430% norm (1) and 6.842% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-C1 (0.30-0.60m)	SSF-SUR (P)	45.296	100	1.000	TPH exceeds 45.296% norm (1) and 4.528% norm (2)	TEXACO LEGAL VIOLATION
SA65-JI-SBC-1.40	SA- 65 (P)	37.158	100	1.000	TPH exceeds 37.158% norm (1) and 3.714% norm (2)	TEXACO LEGAL VIOLATION
SA65-CO (1.60- 4.40 m)	SA- 65 (P)	33.478	100	1.000	TPH exceeds 33.478% norm (1) and 3.346% norm (2)	TEXACO LEGAL VIOLATION
SA65-P2-90-140	SA- 65 (P)	32.444	100	1.000	TPH exceeds 32.444% norm (1) and 3.243% norm (2)	TEXACO LEGAL VIOLATION
Jl-SSF-SW-PIT1- SS; 0.20	SSF-SW (CT)	31.000	100	1.000	TPH exceeds 31.000% norm (1) and 3.099% norm (2)	TEXACO LEGAL VIOLATION
SA 51-NE2	SA- 51 (P)	29.657	100	1.000	TPH exceeds 29.657% norm (1) and 2.964% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-C1-TW (0.6-0.80 m)	SSF-SUR (P)	28.051	100	1.000	TPH exceeds 28.051% norm (1) and 2.804% norm (2)	TEXACO LEGAL VIOLATION
SA-21-JI-SB2- 1.2M	SA- 21 (CT)	28.000	100	1.000	TPH exceeds 28.000% norm (1) and 2.800% norm (2)	TEXACO LEGAL VIOLATION
SA 57 NE 4; 0,20-0,80	SA- 57 (P)	27.450	100	1.000	TPH exceeds 27.450% norm (1) and 2.745% norm (2)	TEXACO LEGAL VIOLATION
SSF67-S1-E1	SSF-67 (P)	20.344	100	1.000	TPH exceeds 20.344% norm (1) and 2.033% norm (2)	TEXACO LEGAL VIOLATION
SA-21-JI-SB1- 0.2M	SA- 21 (CT)	19.000	100	1.000	TPH exceeds 19.000% norm (1) and 1.899% norm (2)	TEXACO LEGAL VIOLATION
SA-65-JI-SBC- 1,40M	SA- 65 (CT)	14.254	100	1.000	TPH exceeds 14.254% norm (1) and 1.424% norm (2)	TEXACO LEGAL VIOLATION

Samples (number is code identifying place and location)	Texaco well site (CT: Chevron Texaco D: plaintiffs)	TPH Level (parts per million (PPM))	<u>NORM # 1</u> TPH by most U.S. status and EPA (PPM)	<u>NORM # 2</u> TPH by Ecuadorian law (PPM)	Percentage Over the Norms	Texaco Legal Violation?
					norm (2)	
Jl-SA-53-NW6-0,8 M(SS)	SA- 53 (CT)	14.000	100	1.000	TPH exceeds 14.000% norm (1) and 1.399% norm (2)	TEXACO LEGAL VIOLATION
SSF67-PiT1-S12	SSF-67 (P)	13.587	100	1.000	TPH exceeds 13.587% norm (1) and 1.358% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA65-CO-1.60M (SS)	SA- 65 (CT)	12.953	100	1.000	TPH exceeds 12.953% norm (1) and 1.294% norm (2)	TEXACO LEGAL VIOLATION
SA65-EX-60-320	SA- 65 (P)	12.256	100	1.000	TPH exceeds 12.256% norm (1) and 1.224% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-C1-0.3-0.6M (SS)	SSF-SUR (CT)	9.993	100	1.000	TPH exceeds 9.993% norm (1) and 998% norm (2)	TEXACO LEGAL VIOLATION
SA 57 SE2; 1,10-1,40	SA- 57 (P)	9.884	100	1.000	TPH exceeds 9.884% norm (1) and 987% norm (2)	TEXACO LEGAL VIOLATION
SA 57 NE 3; 2,40-2,80	SA- 57 (P)	9.216	100	1.000	TPH exceeds 9.216% norm (1) and 920% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA51-NE2-SS0,78	SA- 51 (CT)	9.080	100	1.000	TPH exceeds 9.080% norm (1) and 907% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-C1-TW (0 m)	SSF-SUR (CT)	8.941	100	1.000	TPH exceeds 8.941% norm (1) and 893% norm (2)	TEXACO LEGAL VIOLATION
SA18-NE1-1	SA- 18 (P)	8.886	100	1.000	TPH exceeds 8.886% norm (1) and 888% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA51-NE2-TW1,25M	SA- 51 (CT)	8.256	100	1.000	TPH exceeds 8.256% norm (1) and 824% norm (2)	TEXACO LEGAL VIOLATION
SA18-NW6-A1	SA- 18 (P)	8.065	100	1.000	TPH exceeds 8.065% norm (1) and 805% norm (2)	TEXACO LEGAL VIOLATION
SH48-SE3 1,55-1,70	SSF-48 (P)	7.800	100	1.000	TPH exceeds 7.800% norm (1) and 779% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA85-NW2-0.6M	SA- 85 (CT)	7.570	100	1.000	TPH exceeds 7.570% norm (1) and 756% norm (2)	TEXACO LEGAL VIOLATION
SA65-P1 120-360	SA- 65 (P)	7.519	100	1.000	TPH exceeds 7.519% norm (1) and 750% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-C5 (0.65-1.10 m)	SSF-SUR (P)	7.450	100	1.000	TPH exceeds 7.450% norm (1) and 744% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA51-NE2-TW0,75M	SA- 51 (CT)	6.020	100	1.000	TPH exceeds 6.020% norm (1) and 601% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA53-NW6-6,28 M (SS)	SA- 53 (CT)	5.700	100	1.000	TPH exceeds 5.700% norm (1) and 569% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA65-EX0.6M (SS)	SA- 65 (CT)	5.642	100	1.000	TPH exceeds 5.642% norm (1) and 563% norm (2)	TEXACO LEGAL VIOLATION
SA-53-Jl-SB2-4,0 M	SA- 53 (CT)	5.600	100	1.000	TPH exceeds 5.600% norm (1) and 559% norm (2)	TEXACO LEGAL VIOLATION
SH48 SE3 2,75-3,05	SSF-48 (P)	5.400	100	1.000	TPH exceeds 5.400% norm (1) and 539% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA94-SW5-SS-	SA- 94	5.000	100	1.000	TPH exceeds 5.000%	TEXACO LEGAL

Samples (number is code identifying place and location)	Texaco well site (CT: Chevron Texaco D: plaintiffs)	TPH Level (parts per million (PPM))	<u>NORM # 1</u> TPH by most U.S. status and EPA (PPM)	<u>NORM # 2</u> TPH by Ecuadorian law (PPM)	Percentage Over the Norms	Texaco Legal Violation?
3,05M	(CT)				norm (1) and 499% norm (2)	VIOLATION
Jl-SA18-NW5-B- 2.4MSS	SA- 18 (CT)	4.867	100	1.000	TPH exceeds 4.867% norm (1) and 486% norm (2)	TEXACO LEGAL VIOLATION
SSF-S-SED-RIO 2	SSF-SUR (P)	4.432	100	1.000	TPH exceeds 4.432% norm (1) and 442% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA65-P2-0.9M (SS)	SA- 65 (CT)	4.241	100	1.000	TPH exceeds 4.241% norm (1) and 423% norm (2)	TEXACO LEGAL VIOLATION
NW6 - 5,55-5,95	SA- 53 (P)	4.080	100	1.000	TPH exceeds 4.080% norm (1) and 407% norm (2)	TEXACO LEGAL VIOLATION
SA18-NW6-A2	SA- 18 (P)	4.076	100	1.000	TPH exceeds 4.076% norm (1) and 407% norm (2)	TEXACO LEGAL VIOLATION
SA85-W4-S1	SA- 85 (P)	4.017	100	1.000	TPH exceeds 4.017% norm (1) and 401% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA53-NW6-5,6 M (SS)	SA- 53 (CT)	3.600	100	1.000	TPH exceeds 3.600% norm (1) and 359% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-Jl-C1- TW-0.6M	SSF-SUR (CT)	3.351	100	1.000	TPH exceeds 3.351% norm (1) and 335% norm (2)	TEXACO LEGAL VIOLATION
NW6 - 6,28-6,80	SA- 53 (P)	2.988	100	1.000	TPH exceeds 2.988% norm (1) and 297% norm (2)	TEXACO LEGAL VIOLATION
SA 57 NE 4; 1,60-2,00	SA- 57 (P)	2.724	100	1.000	TPH exceeds 2.724% norm (1) and 271% norm (2)	TEXACO LEGAL VIOLATION
SH48-N3 1,0 - 1,20	SSF-48 (P)	2.700	100	1.000	TPH exceeds 2.700% norm (1) and 269% norm (2)	TEXACO LEGAL VIOLATION
SH48-SW3 0,85 - 1,31	SSF-48 (P)	2.500	100	1.000	TPH exceeds 2.500% norm (1) and 249% norm (2)	TEXACO LEGAL VIOLATION
SA-57-Jl-SE2- TW-1,20M	SA- 57 (CT)	2.430	100	1.000	TPH exceeds 2.430% norm (1) and 242% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA18-NE1-SS	SA- 18 (CT)	2.300	100	1.000	TPH exceeds 2.300% norm (1) and 229% norm (2)	TEXACO LEGAL VIOLATION
SSF67-Pit1-S21	SSF-67 (P)	2.202	100	1.000	TPH exceeds 2.202% norm (1) and 219% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA51-N2- TW1.25M	SA- 51 (CT)	2.022	100	1.000	TPH exceeds 2.022% norm (1) and 201% norm (2)	TEXACO LEGAL VIOLATION
SH48-SW2 1,2 - 1,3	SSF-48 (P)	2.000	100	1.000	TPH exceeds 2.000% norm (1) and 199% norm (2)	TEXACO LEGAL VIOLATION
SA-53-Jl-SB1- (8OCM)	SA- 53 (CT)	2.000	100	1.000	TPH exceeds 2.000% norm (1) and 199% norm (2)	TEXACO LEGAL VIOLATION
Jl-SA-53-NW6- 4,15 M(SS)	SA- 53 (CT)	1.900	100	1.000	TPH exceeds 1.900% norm (1) and 189% norm (2)	TEXACO LEGAL VIOLATION
Jl-SH48-SW3- SB1 (1.37M)	SSF-48 (CT)	1.758	100	1.000	TPH exceeds 1.758% norm (1) and 175% norm (2)	TEXACO LEGAL VIOLATION
Jl-S10-SE2-TW- 0,2M	SA- 10 (CT)	1.700	100	1.000	TPH exceeds 1.700% norm (1) and 169% norm (2)	TEXACO LEGAL VIOLATION

Samples (number is code identifying place and location)	Texaco well site (CT: Chevron Texaco D: plaintiffs)	TPH Level (parts per million (PPM))	<u>NORM # 1</u> TPH by most U.S. status and EPA (PPM)	<u>NORM # 2</u> TPH by Ecuadorian law (PPM)	Percentage Over the Norms	Texaco Legal Violation?
SH48-SE4 2,20-2,40	SSF-48 (P)	1.700	100	1.000	TPH exceeds 1.700% norm (1) and 169% norm (2)	TEXACO LEGAL VIOLATION
SH48-SE3 2,28-2,55	SSF-48 (P)	1.600	100	1.000	TPH exceeds 1.600% norm (1) and 159% norm (2)	TEXACO LEGAL VIOLATION
SA-53-JI-SB1-3,93 M	SA- 53 (CT)	1.600	100	1.000	TPH exceeds 1.600% norm (1) and 159% norm (2)	TEXACO LEGAL VIOLATION
SA18-SE3	SA- 18 (P)	1.523	100	1.000	TPH exceeds 1.523% norm (1) and 151% norm (2)	TEXACO LEGAL VIOLATION
JI-SH48-SE3-SS (2.75M)	SSF-48 (CT)	1.508	100	1.000	TPH exceeds 1.508% norm (1) and 150% norm (2)	TEXACO LEGAL VIOLATION
SSF-SUR-JI-SB7 - 0.7m	SSF-SUR (CT)	1.476	100	1.000	TPH exceeds 1.476% norm (1) and 146% norm (2)	TEXACO LEGAL VIOLATION
SA 51-N2	SA- 51 (P)	1.445	100	1.000	TPH exceeds 1.445% norm (1) and 143% norm (2)	TEXACO LEGAL VIOLATION
JI-SA18-SE3-0.8MSS	SA- 18 (CT)	1.424	100	1.000	TPH exceeds 1.424% norm (1) and 141% norm (2)	TEXACO LEGAL VIOLATION
SSF67-PANTANO2-S1	SSF-67 (P)	1.398	100	1.000	TPH exceeds 1.398% norm (1) and 139% norm (2)	TEXACO LEGAL VIOLATION
SA-006, SA-6-JI-SB1-1.3M	SA- 6 (CT)	1.300	100	1.000	TPH exceeds 1.300% norm (1) and 128% norm (2)	TEXACO LEGAL VIOLATION
SA 57 SE3; 0,20-0,60	SA- 57 (P)	1.219	100	1.000	TPH exceeds 1.219% norm (1) and 120% norm (2)	TEXACO LEGAL VIOLATION
JI-SA94-SW5-SS-3,80M	SA- 94 (CT)	1.200	100	1.000	TPH exceeds 1.200% norm (1) and 119% norm (2)	TEXACO LEGAL VIOLATION
NW5 - 3,0-3,40	SA- 53 (P)	1.148	100	1.000	TPH exceeds 1.148% norm (1) and 114% norm (2)	TEXACO LEGAL VIOLATION
JI-SA94-SW5-SS-2,30M	SA- 94 (CT)	1.100	100	1.000	TPH exceeds 1.100% norm (1) and 109% norm (2)	TEXACO LEGAL VIOLATION
JI-SA51-N2-SS1,25M	SA- 51 (CT)	1.059	100	1.000	TPH exceeds 1.059% norm (1) and 105% norm (2)	TEXACO LEGAL VIOLATION
SA65-JI-SB6 (0.00 m)	SA- 65 (P)	1.058	100	1.000	TPH exceeds 1.058% norm (1) and 105% norm (2)	TEXACO LEGAL VIOLATION
JI-SH48-SW3-SB1 (1M)	SSF-48 (CT)	1.010	100	1.000	TPH exceeds 1.010% norm (1) and 100% norm (2)	TEXACO LEGAL VIOLATION
SA85-N1-2	SA- 85 (P)	1.003	100	1.000	TPH exceeds 1.003% norm (1) and 99% norm (2)	TEXACO LEGAL VIOLATION

*Of the 76 samples shown here, 36 were analyzed by ChevronTexaco and 40 by the plaintiffs. The samples in this table are only analyzed for TPHs, a family of chemicals derived from petroleum that is considered an excellent measure of contamination. These and several other samples have been tested by both sides for other types of toxic chemicals. Many of these tests show more than 200 other legal violations by ChevronTexaco.

